



STI PERFORMANCE PARTS




IMPREZA 4Door (GJ)

Chassis/Body

**FLEXIBLE TOWER BAR F (for NA)**

SG517FJ002 (E4010FJ002)

This is a strut tower bar with a completely new concept - splitting an aluminum tower bar in the center and connecting the two pieces with pillow ball joints. As the left and right pieces are flexibly connected, the bar can moderately handle longitudinal forces such as from gaps on the road to maintain ride comfort while strongly holding against lateral forces during cornering. As a result, not only cornering performance but also straight-line stability and ride comfort is improved to enhance the comprehensive performance level of the car.

**FLEXIBLE DRAW STIFFENER**

ST20118MF000

This STI original sports performance part applies moderate tension between the vehicle body and cross member to prevent the chassis from bending when you drive the vehicle. This results in agile and responsive initial steering, as well as a comfortable ride. The vehicle will boast better grip on all four wheels, improved stability when cornering, and also fast and responsive steering performance.

* This product was designed under the assumption that the STI flexible tower bar is also mounted on the vehicle.



STI PERFORMANCE PARTS

Suspension




COIL SPRING F

ST20330MF000

These coil springs were developed through repeated driving tests under various conditions. They increase roll rigidity and improve driving stability without ever compromising passenger comfort. After installation, the vehicle height is lowered by approximately 15 mm. They have been specially designed for Lineartronic models and can be installed on vehicles equipped with EyeSight. Installation on MT models is not possible.

*For both 2WD / AWD, for Lineartronic models

* For standard front struts on a SUBARU IMPREZA (Lineartronic model).



COIL SPRING R 2WD

ST20380MF000

These coil springs were developed through repeated driving tests under various conditions. They increase roll rigidity and improve driving stability without ever compromising passenger comfort. After installation, the vehicle height is lowered by approximately 15 mm. They have been specially designed for Lineartronic models and can be installed on vehicles equipped with EyeSight. Installation on MT models is not possible.

*For 2WD, for Lineartronic models

* For standard rear shock absorbers on a SUBARU IMPREZA (Lineartronic model).

* Photograph for illustrative purposes only. Actual products might differ slightly.



COIL SPRING R AWD

ST20380MF010

These coil springs were developed through repeated driving tests under various conditions. They increase roll rigidity and improve driving stability without ever compromising passenger comfort. After installation, the vehicle height is lowered by approximately 15 mm. They have been specially designed for Lineartronic models and can be installed on vehicles equipped with EyeSight. Installation on MT models is not possible.

*For AWD, for Lineartronic models

* For standard rear shock absorbers on a SUBARU IMPREZA (Lineartronic model).

* Photograph for illustrative purposes only. Actual products might differ slightly.

Suspension



TRAILING LINK SET

ST20250MF000

The rubber bushing has been replaced by a pillow ball joint. This not only improves suspension performance on road surfaces during cornering, but also effectively transmits traction to the road surface due to the increased rigidity of the moving parts. When installed along with the STI sport coil springs, it is possible to achieve a more sporty suspension.

* Pillow ball bush, press-fitted, 2-piece set

* Photograph for illustrative purposes only. Actual products might differ slightly.



STI PERFORMANCE PARTS

Wheel



WHEEL SET 17inch(SILVER/GUNMETALLIC/BLACK)

SG217CA000 PT SILVER 17x7J+48 PCD100 5HOLES
 SG217CA010 GUNMETALLIC 17x7J+48 PCD100 5HOLES
 SG217CA020 BLACK 17x7J+48 PCD100 5HOLE

These cast aluminum wheels were made using the spinning production process to form the shape of the rims. This ensures a reduced weight with increased rigidity. Their design with 15 straight spokes perfectly matches the body design and its colours.

* The spinning process is a special method for producing aluminum wheels. It involves rapidly rotating the workpiece and pressing it until it conforms to the desired shape. This causes the aluminum molecules to be in close contact with each other, increasing strength while reducing weight and thickness.



STI VALVE CAP SET(Black)

ST28102Z2000 Black

These wheel valve caps are light weight with a design that features a knurled finish on machined aluminum to prevent slippage. Remove the standard valve caps to install these. A black alumite treatment has been applied to the surfaces of these valve caps to improve resistance to weather and match the color of aluminum wheels. The hexagonal heads of the valve caps have rounded tops, and a cherry red STI logo is stamped on the embossed area.

- 4-piece Set
- Black Alumite Treatment

*When storing tires and wheels, we recommend that valve caps be stored separately to prevent sticking.



STI VALVE CAP SET

ST28102ST030 Silver

These wheel valve caps are light weight with a design that features a knurled finish on machined aluminum to prevent slippage. Remove the standard valve caps to install these. A silver alumite treatment has been applied to the surfaces of these valve caps to improve resistance to weather and match the color of aluminum wheels. The hexagonal heads of the valve caps have rounded tops, and a cherry red STI logo is stamped on the embossed area.

- 4-piece Set
- Silver Alumite Treatment

*When storing tires and wheels, we recommend that valve caps be stored separately to prevent sticking.

Wheel

**SECURITY WHEEL NUT SET**

ST28170ST060 GUN METALLIC

Set of 16 lug nuts and 4 lock nuts. Enhanced security with a more reliable locking mechanism. 3-layer nickel plated hard steel, with chrome finish to prevent rust. Gun metal finish with laser engraved STI logo. Special tool included (McGuard). M12x1.25mm



STI PERFORMANCE PARTS

Aero/Exterior



FRONT UNDER SPOILER

SG517FJ200 (E2410FJ300)

This aerodynamic plastic spoiler is installed under the front bumper. It controls the flow of air into the front of the vehicle when driving at high speed and generates negative lift to increase the road gripping ability of the front tires. It has been designed to fit seamlessly with the front bumper and delivers both a stylish design and high performance validated after multiple wind tunnel tests. Semi-glossy black coating, with STI emblem. Installation of a separately sold lip skirt allows an even higher level of air flow rectification and protects the front under spoiler from hitting the road surface.

* This product cannot be installed together with the SUBARU genuine front bumper skirt.



FRONT UNDER SPOILER

SG517FJ100

* The price listed indicates the part unit price only and does not include labor costs or consumption tax.



SKIRT LIP (CHERRY RED)

ST96020ST011 CHERRY RED

For installment on front under spoiler.

Installed on the end of the front under spoiler, this part reduces the Clf / Cd while also ensuring protection and giving the vehicle a stylish appearance.

* This product must be installed together with an STI front under spoiler.

* Compared to when the front under spoiler is installed, the ground clearance near the center of the front bumper is reduced by 20 mm.



STI PERFORMANCE PARTS

Aero/Exterior



SIDE UNDER SPOILER

ST96030MF020

This aerodynamic plastic spoiler is installed under the genuine side sill spoiler. It controls the flow of air past the side of the body at high speed and improves driving stability. It was designed under the assumption that the genuine Subaru front under spoiler is also mounted on the vehicle, and its performance was verified after multiple wind tunnel tests. It has a semi-glossy black coating, with the STI emblem toward the rear.

* We recommend installing this product with the SUBARU genuine STI front under spoiler.



PIN STRIPE SET (SILVER/DARK GRAY/CHERRY RED)

ST91042ST020 SILVER

ST91042ST030 DARK GRAY

ST91042ST040 CHERRY RED

This pin stripe decal accessory gives the side body a sharp appearance. The pin stripe provides a sporty look, highlighting the lines along the side body. You can choose between three different pin stripe colors to match the color shade of the body where the stripe is to be applied: silver, dark gray, or cherry red, an STI trademark color which fits any body color shade.



DOOR HANDLE PROTECTOR

ST91099ST020

This is a carbon-effect door-handle protector which protects the car from scratches and fingerprints when opening/closing doors. Designed for a grip-type door handle, this not only serves as scratch prevention, but also adds a sporty touch to the door handle surroundings. It can be mounted along the dented form of the door and is pressure-bonded with powerful double-sided tape.

* Chemical-based products such as waxes and coating agents or solvents including gasoline and thinners can cause stains and deformation of the product. If the cover comes into contact with such chemicals or solvents, clean the product immediately.

* Please note that the product may detach or loosen if the car is cleaned under high-pressure or steam washing.

* A set of 4 pieces of the same size for 1 vehicle (4 doors)

* Carbon-effect PVC

* When fitting the protector to an IMPREZA/SUBARU XV, please note that part numbers for current models (GK/GT) and former models (GP/GJ) are different.



STI PERFORMANCE PARTS

Aero/Exterior



DOOR HANDLE PROTECTOR SILVER

ST91099ST100 SILVER

This is a carbon-effect door-handle protector which protects the car from scratches and fingerprints when opening/closing doors.

With the addition of the new silver color, it is now more suitable for use with silver or white light-colored car bodies.

Designed for a grip-type door handle, this not only serves as scratch prevention, but also adds a sporty touch to the door handle surroundings. It can be mounted along the dented form of the door and is pressure-bonded with powerful double-sided tape.

* Chemical-based products such as waxes and coating agents or solvents including gasoline and thinners can cause stains and deformation of the product. If the cover comes into contact with such chemicals or solvents, clean the product immediately.

* Please note that the product may detach or loosen if the car is cleaned under high-pressure or steam washing.

* The image is for illustrative purposes only. The shape may differ from the actual product.

* A set of 4 pieces of the same size for 1 vehicle (4 doors)

* Carbon-effect PVC

* The surface of the product may become cloudy when it is exposed to moisture such as rainwater for a long time. However, this is a characteristic of the material used (PVC) and is not abnormal. It will be restored when dry.

* When fitting the protector to an IMPREZA/SUBARU XV, please note that part numbers for current models (GK/GT) and former models (GP/GJ) are different.



SKIRT LIP (CHERRY RED)

ST96020ST010 CHERRY RED

For installment on front under spoiler.

Installed on the end of the front under spoiler, this part reduces the Clf / Cd while also ensuring protection and giving the vehicle a stylish appearance.

* This product must be installed together with an STI front under spoiler.

* Compared to when the front under spoiler is installed, the ground clearance near the center of the front bumper is reduced by 20 mm.



SKIRT LIP

ST960204S292 FOR FRONT UNDER SPOILER

For installment on front under spoiler.

Installed on the end of the bottom of the front under spoiler, this part reduces the Clf / Cd while also ensuring protection and giving the vehicle a stylish appearance. Made from hardened rubber.

* This product must be installed together with an STI front under spoiler.

* When this product is installed, car height is lowered by 20mm below at the center.



STI PERFORMANCE PARTS

Engine/Transmission



RADIATOR CAP

ST45137ST001

Opening value pressure changed from 108kPa(0.108MPa)standard value to 130kPa(0.13MPa). This radiator cap reduces the risk of overflow caused by the thermal expansion of coolant water even under severe conditions such as sports driving or circuit driving. Opening valve pressure unit changed from 'bar' to 'Mpa'.

* When replacing this product, pay careful attention to leakage of water from the piping, and be sure to inspect the coolant water at the start of work.



OIL FILLER CAP

ST15257ZR011

This oil filler cap consists of a die-cast aluminum base that has been machined, and given a stylish resin cover. Shape of the cap has been specially designed to allow for use even when wearing work gloves.

For times when the cap is difficult to remove, it contains special service holes under the resin cover that allow you to use the on-board wheel wrench to loosen the cap when it is too tight to do so by hand. The silver aluminum base with embossed black cap showing the cherry red STI logo adds "functional beauty" to the engine compartment.

* A gasket is not included. Please use the one attached to the filler cap you removed. If using a new gasket, be sure to use a genuine product for the corresponding model.

* If this product is installed on non-compatible models, there is the risk of deformation in the oil filler neck.

* The logo may not face the front.

* After installation, please ensure that this part does not come into contact with any surrounding components.



GEAR SHIFT LEVER 5MT

ST3501021000 5MT(AWD)

The lever ratio has been changed to 4.0 reducing the shift stroke. A hard rubber bush is used to achieve quick shift operation and a rigid, direct shift feeling. This Gear Shift Lever Assembly is a must item for sportier driving.

* Vibrations and noise are transmitted more easily to the interior of the car due to the hard bushings.

**PERFORMANCE OIL FILTER**

ST15208ST010

This is an oil filter with enhanced performance thanks to an increased filtration area of 15% compared with a conventional product. With dedicated materials to improve its particle collection performance, this filter also captures fine particles such as carbon and reduces pressure loss by 10%. With the resulting reduced pump loss, this filter is compatible with high viscosity oil, providing stable performance not only on roads but also on the circuit track. It is painted cherry red and features the STI logo.



STI PERFORMANCE PARTS

Interior/Others



SHIFT KNOB (CVT)

SG117SG102

The top and grip of this premium shift knob are made from high-quality genuine leather which gives the product a luxurious feel and makes shifting gears more comfortable. Wrapped in leather, with the STI logo embroidery

* This product can only be installed on a Lineartronic CVT vehicle.



SHIFT KNOB (5MT LEATHER/ALLOY)

SG117FG015

This premium shift knob features a combination of aluminum and dimpled genuine leather. An optimal balance of materials, form, and weight has been selected with consideration for operational feel.

* The shift knob may become hot/cold from exposure to direct sunlight or fluctuations in temperature. The use of driving gloves is recommended.



PEDAL PAD SET (AT)

SG317FG001 Besides Aluminum Pedal

These pedals are equipped with rubber pads and non-slip sheets to prevent slipping. Their shape makes the pedals comfortable to operate.

* This product cannot be installed on vehicles equipped with sports pedals with aluminum pads.



STI PERFORMANCE PARTS

Interior/Others



PEDAL PAD SET (MT)

SG317FG011 Besides Aluminum Pedal

These pedals are equipped with rubber pads and non-slip sheets to prevent slipping. Their shape makes the pedals comfortable to operate.

* This product cannot be installed on vehicles equipped with sports pedals with aluminum pads.



SHIFT KNOB DURACON 5MT

ST35022ST282 5MT

* Duracon (R) is a registered trademark of Polyplastics Co., Ltd. in Japan and other countries.

* The shift knob may become hot/cold from exposure to direct sunlight or fluctuations in temperature. The use of driving gloves is recommended.



BATTERY HOLDER(SILVER)

ST82182ST010 SILVER

This unique battery holder has a design motif reminiscent of the flexible tower bar. In addition to securely holding the bulky battery, it also adds an attractive highlight to the engine compartment.

* This product can be installed in many SUBARU vehicles that use a D-type battery, such as the LEGACY, LEVORG, WRX, IMPREZA, FORESTER, EXIGA, and SUBARU BRZ. Example battery model number: 80D23R (Compatible with batteries with "D" as the third digit.)

* We recommend installation be carried out by your local SUBARU dealer.



STI PERFORMANCE PARTS

Interior/Others



PUSH ENGINE SWITCH

ST83031ST041

Push-button ignition starter switch for models with keyless entry and push-button starter switches. The cherry red button with the STI logo in the center gives the interior a sporty appearance. Cherry red button, with the STI logo in the center.

* For cars with keyless access and push-button start.



BATTERY HOLDER

ST82182ST000 CHERRY RED

This unique battery holder has a design motif reminiscent of the flexible tower bar. In addition to securely holding the bulky battery, it also adds an attractive highlight to the engine compartment.

* This product can be installed in many SUBARU vehicles that use a D-type battery, such as the LEGACY, LEVORG, WRX, IMPREZA, FORESTER, EXIGA, and SUBARU BRZ. Example battery model number: 80D23R (Compatible with batteries with "D" as the third digit.)

* We recommend installation be carried out by your local SUBARU dealer.



SHIFT KNOB (CVT)

SG117SG101 (C1010SG101)

The top and grip of this premium shift knob are made from high-quality genuine leather which gives the product a luxurious feel and makes shifting gears more comfortable. Wrapped in leather, with the STI logo embroidery

* This product can only be installed on a Lineartronic CVT vehicle.

Interior/Others

**SHIFT KNOB DURACON 5MT**

ST35022ST281 5MT

This redesigned shift knob is made from the extremely popular lightweight and tough Duracon(R)* material. The shape of the knob has been redesigned and refined to ensure reliable response during shifting. The shift pattern on the top has been modified to a carbon-based design to give a more sporty image.

* Duracon (R) is a registered trademark of Polyplastics Co., Ltd. in Japan and other countries.

* The shift knob may become hot/cold from exposure to direct sunlight or fluctuations in temperature. The use of driving gloves is recommended.