




## STI PERFORMANCE PARTS



IMPREZA 5Door (GU)

Please consult with your local SUBARU dealership or an authorized SUBARU distributor to confirm the availability, price and installation.  
Colors shown may vary due to displays and printing processes.

## Chassis/Body

**FLEXIBLE TOWER BAR**

SG517FL501 (E4010FL001)

This is a strut tower bar with a completely new concept - splitting an aluminum tower bar in the center and connecting the two pieces with pillow ball joints. As the left and right pieces are flexibly connected, the bar can moderately handle longitudinal forces such as from gaps on the road to maintain ride comfort while strongly holding against lateral forces during cornering. As a result, not only cornering performance but also straight-line stability and ride comfort is improved to enhance the comprehensive performance level of the car.

**FLEXIBLE TOWER BAR Front for e-BOXER**

ST20502GH011

This is a Flexible Tower Bar with a layout optimized for the SUBARU e-BOXER(MHEV). This is a strut tower bar created by splitting an aluminum tower bar in the center and connecting the two pieces with pillow ball joints. The bar can moderately handle external pressure such as from gaps on the road by effectively utilizing the flexibility of the chassis. As a result, it presents a characteristic which is a "flexible yet elegant feel" to strengthen road holding during cornering without compromising ride comfort.

This product improves the handling performance of the car from normal use range at the beginning of steering to the critical range.

\* The above-mentioned suggested retail price is for the product alone and does not include shipping and installation fees.

\* This is an exclusive product only for the SUBARU e-BOXER.

\* For the SUBARU other than

e-BOXER (GT) and IMPREZA (GK / GT), SG517FL501 Flexible Tower Bar is compatible.

**FLEXIBLE DRAW STIFFENER Rr**

ST20168G2000

By attaching this to the rear ends of the left and right rear frames (inside the rear bumper) and applying moderate tension, it corrects the bending of the chassis when the car is running. This leads to both initial agile steering and a smooth ride.

As this part improves the road-contact of the four wheels, driving stability during cornering increases, and thus a quick and straightforward steering feeling can be realized.

This product comes with a original sticker. (Sticker size: length 41 mm x width 36 mm)

\* To install this product, removal and reattachment of the rear bumper face is required.

\* The included sticker is a complimentary gift and not sold separately.

Please note that the sticker is not eligible for repair caused by a mistake in applying or damage in its use.

\* Cannot install together with other products(Ex. Hitch member) which attaches to the bumper beam.

## Suspension



## LATERAL LINK SET

ST20250GH000

By replacing the rubber bush with a pillow ball bush inside, the lateral link smoothens the movement of the rear suspension and decreases friction upon stroke as well as improving camber stiffness. This item can deliver sharp handling on corners and linear suspension characteristics from turn-in to acceleration at the exit.

\* Alignment work is required.

\* To fit this item, 6 SUBARU genuine Self Lock Nuts (902350022), 2 (902330006), 2 Snap Pins (051112001) are additionally required. For further details please inquire at a SUBARU dealership.

---

 Wheel
 

---

**WHEEL SET 17inch SILVER**

SG217FN100 (B3110FN100)

Utilizing a spinning process following the aluminum casting stage, this wheel achieves rim strength comparable to forged wheels, while delivering exceptional rigidity and reduced weight. Beyond its advanced performance, the design is carefully crafted to complement the vehicle's aesthetics when installed, ensuring both function and style.

\* The spinning process is a specialized manufacturing method for aluminum wheels, in which the material is rotated and rolled-similar to pottery shaping. This technique allows aluminum molecules to bond closely together, increasing strength and enabling thinner and lighter construction.

\* Center cap and air valve included.

\* This wheel is compatible with vehicles equipped with standard 17-inch wheels. If installed on a vehicle with standard 18-inch wheels, compatible tires will be required separately.

---

**WHEEL SET 17inch GUNMETALLIC 7J**

SG217FN110 (B3110FN110)

Utilizing a spinning process following the aluminum casting stage, this wheel achieves rim strength comparable to forged wheels, while delivering exceptional rigidity and reduced weight. Beyond its advanced performance, the design is carefully crafted to complement the vehicle's aesthetics when installed, ensuring both function and style.

\* The spinning process is a specialized manufacturing method for aluminum wheels, in which the material is rotated and rolled-similar to pottery shaping. This technique allows aluminum molecules to bond closely together, increasing strength and enabling thinner and lighter construction.

\* Center cap and air valve included.

\* This wheel is compatible with vehicles equipped with standard 17-inch wheels. If installed on a vehicle with standard 18-inch wheels, compatible tires will be required separately.

---

**WHEEL SET 17inch BLACK**

SG217FN120 (B3110FN120)

Utilizing a spinning process following the aluminum casting stage, this wheel achieves rim strength comparable to forged wheels, while delivering exceptional rigidity and reduced weight. Beyond its advanced performance, the design is carefully crafted to complement the vehicle's aesthetics when installed, ensuring both function and style.

\* The spinning process is a specialized manufacturing method for aluminum wheels, in which the material is rotated and rolled-similar to pottery shaping. This technique allows aluminum molecules to bond closely together, increasing strength and enabling thinner and lighter construction.

\* Center cap and air valve included.

\* This wheel is compatible with vehicles equipped with standard 17-inch wheels. If installed on a vehicle with standard 18-inch wheels, compatible tires will be required separately.

---

---

 Wheel
 

---

**SECURITY WHEEL NUT SET**

ST28170ST060 GUN METALLIC

Set of 16 lug nuts and 4 lock nuts. Enhanced security with a more reliable locking mechanism. 3-layer nickel plated hard steel, with chrome finish to prevent rust. Gun metal finish with laser engraved STI logo. Special tool included (McGuard). M12x1.25mm

**STI VALVE CAP SET**

ST28102ST030 Silver

These wheel valve caps are light weight with a design that features a knurled finish on machined aluminum to prevent slippage. Remove the standard valve caps to install these. A silver alumite treatment has been applied to the surfaces of these valve caps to improve resistance to weather and match the color of aluminum wheels. The hexagonal heads of the valve caps have rounded tops, and a cherry red STI logo is stamped on the embossed area.

- 4-piece Set
- Silver Alumite Treatment

\*When storing tires and wheels, we recommend that valve caps be stored separately to prevent sticking.

**STI VALVE CAP SET(Black)**

ST28102Z2000 Black

These wheel valve caps are light weight with a design that features a knurled finish on machined aluminum to prevent slippage. Remove the standard valve caps to install these. A black alumite treatment has been applied to the surfaces of these valve caps to improve resistance to weather and match the color of aluminum wheels. The hexagonal heads of the valve caps have rounded tops, and a cherry red STI logo is stamped on the embossed area.

- 4-piece Set
- Black Alumite Treatment

\*When storing tires and wheels, we recommend that valve caps be stored separately to prevent sticking.

# STI PERFORMANCE PARTS

## Aero/Exterior



### FRONT UNDER SPOILER

SG517FN000 (E2410FN000) CRYSTAL BLACK SILICA

In addition to improving handling at high speed, this aerodynamic spoiler is popular among drivers who wish to improve the styling of their vehicle. It optimizes the airflow passing around and below the front bumper, generating downforce. With improved driving stability during high speed cornering, it gives an added sense of security to the driver.

Painted in crystal black silica. Includes an STI emblem.

\* The ground clearance at the mounting area will be reduced by approximately 34 mm. However, the minimum ground clearance remains unchanged.

\* The STI SKIRT LIP 'ST96020G2030 (Black)' or 'ST96020G2040 (Cherry Red)' can be installed.



### FRONT UNDER SPOILER

SG517FN010 (E2410FN010) CHERRY RED

In addition to improving handling at high speed, this aerodynamic spoiler is popular among drivers who wish to improve the styling of their vehicle. It optimizes the airflow passing around and below the front bumper, generating downforce. With improved driving stability during high speed cornering, it gives an added sense of security to the driver.

Painted in cherry red. Includes an STI emblem.

\* The ground clearance at the mounting area will be reduced by approximately 34 mm. However, the minimum ground clearance remains unchanged.

\* The STI SKIRT LIP 'ST96020G2030 (Black)' or 'ST96020G2040 (Cherry Red)' can be installed.



### REAR SIDE UNDER SPOILER

SG517FN200 (E5610FN000) CRYSTAL BLACK SILICA

This is an aerodynamic control part that optimizes the airflow from the front to the sides of the vehicle and improves driving stability. It controls the airflow under the vehicle body and prevents it from lifting the vehicle by diverting it toward the rear. It is designed under the assumption that the separately-sold 'STI FRONT UNDER SPOILER' and 'STI SIDE UNDER SPOILER' are also installed on the vehicle. These parts deliver optimal performance when used in combination.

\* This product cannot be installed together with the SUBARU Genuine Accessory 'Splash Board'(J1017FN300, J1017FN350).

\* The ground clearance at the mounting area will be reduced by approximately 32 mm.

\* Painted in crystal black silica.

## STI STI PERFORMANCE PARTS

### Aero/Exterior



#### REAR SIDE UNDER SPOILER

SG517FN210 (E5610FN010) CHERRY RED

This is an aerodynamic control part that optimizes the airflow from the front to the sides of the vehicle and improves driving stability. It controls the airflow under the vehicle body and prevents it from lifting the vehicle by diverting it toward the rear. It is designed under the assumption that the separately-sold 'STI FRONT UNDER SPOILER' and 'STI SIDE UNDER SPOILER' are also installed on the vehicle. These parts deliver optimal performance when used in combination.

\* This product cannot be installed together with the SUBARU Genuine Accessory 'Splash Board'(J1017FN300, J1017FN350).

\* The ground clearance at the mounting area will be reduced by approximately 32 mm.

\* Painted in cherry red.



#### ROOF SPOILER

SG517FN300 (E7210FN000)

Geometry that has been shown to achieve the best performance during repeated wind tunnel testing of actual cars exhibits the following: rectification of airflow from front to rear when driving, and the generation of an effective downforce. This ensures traction at the front and rear axles, and improves handling.

\* The body colour shown is the same as Cristal black silica.

\* This roof spoiler is to be installed as replacing the standard roof spoiler.



#### TAIL GATE GARNISH CHERRY RED

ST91042G2000

This is a single-color garnish in cherry red, to be attached to the lower part of the tailgate.

By installing this TAIL GATE GARNISH, you can add a stylish accent that enhances the overall appearance of your vehicle.

\* The surface may become white or cloudy if exposed to moisture such as rainwater for an extended period of time. However, this is a characteristic of the material (Hyboscal=PVC) and is not abnormal. The color will return to normal when dry.

# STI PERFORMANCE PARTS

## Aero/Exterior



### TAIL GATE GARNISH BLACK

ST91042G2010 BLACK

This is a single-color garnish in black, to be attached to the lower part of the tailgate.

By installing this TAIL GATE GARNISH in combination with other exterior parts, such as the DOOR HANDLE PROTECTOR, you can add a stylish accent that enhances the overall appearance of your vehicle.

\* The surface may become white or cloudy if exposed to moisture such as rainwater for an extended period of time. However, this is a characteristic of the material (Hyboscal=PVC) and is not abnormal. The color will return to normal when dry.



### SKIRT LIP (BLACK)

ST96020G2030 BLACK

Installed on the end of the front under spoiler, this part reduces the Clf / Cd while also ensuring protection and giving the vehicle a stylish appearance.

\* This product must be installed together with STI FRONT UNDER SPOILER (E2410FN000/010).



### SKIRT LIP (CHERRY RED)

ST96020G2040 CHERRY RED

Installed on the end of the front under spoiler, this part reduces the Clf / Cd while also ensuring protection and giving the vehicle a stylish appearance.

\* This product must be installed together with an STI FRONT UNDER SPOILER (E2410FN000/010).

## Aero/Exterior

**DOOR HANDLE PROTECTOR**

ST91099ST080

This is a carbon-effect door-handle protector which protects the car from scratches and fingerprints when opening/closing doors. Designed for a grip-type door handle, this not only serves as scratch prevention, but also adds a sporty touch to the door handle surroundings. It can be mounted along the dented form of the door and is pressure-bonded with powerful double-sided tape.

\* Chemical-based products such as waxes and coating agents or solvents including gasoline and thinners can cause stains and deformation of the product. If the cover comes into contact with such chemicals or solvents, clean the product immediately.

\* Please note that the product may detach or loosen if the car is cleaned under high-pressure or steam washing.

\* A set of 4 pieces of the same size for 1 vehicle (4 doors)

\* Carbon-effect PVC

**DOOR HANDLE PROTECTOR**

ST91099ST150 SILVER

This is a carbon-effect door-handle protector which protects the car from scratches and fingerprints when opening/closing doors.

With the addition of silver color, it is now more suitable for use with silver or white light-colored car bodies.

Designed for a grip-type door handle, this not only serves as scratch prevention, but also adds a sporty touch to the door handle surroundings. It can be mounted along the dented form of the door and is pressure-bonded with powerful double-sided tape.

\* Chemical-based products such as waxes and coating agents or solvents including gasoline and thinners can cause stains and deformation of the product. If the cover comes into contact with such chemicals or solvents, clean the product immediately.

\* Please note that the product may detach or loosen if the car is cleaned under high-pressure or steam washing.

\* The image is for illustrative purposes only. The shape may differ from the actual product.

\* A set of 4 pieces of the same size for 1 vehicle (4 doors)

\* Carbon-effect PVC

\* The surface of the product may become cloudy when it is exposed to moisture such as rainwater for a long time. However, this is a characteristic of the material used (PVC) and is not abnormal. It will be restored when dry.

# STI PERFORMANCE PARTS

## Engine/Transmission



### RADIATOR CAP

ST45137ST001

Opening value pressure changed from 108kPa(0.108MPa)standard value to 130kPa(0.13MPa). This radiator cap reduces the risk of overflow caused by the thermal expansion of coolant water even under severe conditions such as sports driving or circuit driving. Opening valve pressure unit changed from 'bar' to 'Mpa'.

\* When replacing this product, pay careful attention to leakage of water from the piping, and be sure to inspect the coolant water at the start of work.



### OIL FILLER CAP

ST15257ZR011

This oil filler cap consists of a die-cast aluminum base that has been machined, and given a stylish resin cover.

Shape of the cap has been specially designed to allow for use even when wearing work gloves.

For times when the cap is difficult to remove, it contains special service holes under the resin cover that allow you to use the on-board wheel wrench to loosen the cap when it is too tight to do so by hand. The silver aluminum base with embossed black cap showing the cherry red STI logo adds "functional beauty" to the engine compartment.

\* A gasket is not included. Please use the one attached to the filler cap you removed. If using a new gasket, be sure to use a genuine product for the corresponding model.

\* If this product is installed on non-compatible models, there is the risk of deformation in the oil filler neck.

\* The logo may not face the front.

\* After installation, please ensure that this part does not come into contact with any surrounding components.

# STI PERFORMANCE PARTS

## Interior/Others



### SHIFT KNOB (CVT)

SG117FN001 (C1010FN001)

The main grip area is finished in genuine leather, while the other resin components are treated with a metallic coating. The STI logo is elegantly embossed for a refined touch.

The top section of the body features premium kip leather, which is also used on the back side. Accented with cherry red stitching, it enhances the sporty feel and tactile quality, delivering a smooth and confident grip.



### PUSH ENGINE SWITCH

ST83031ST051

Push-button ignition starter switch for models with keyless entry and push-button starter switches. The cherry red button with the STI logo in the center gives the interior a sporty appearance.

\* For cars with keyless access and push-button start.



### BATTERY HOLDER

ST82182ST000 CHERRY RED

This unique battery holder has a design motif reminiscent of the flexible tower bar. In addition to securely holding the bulky battery, it also adds an attractive highlight to the engine compartment.

\* This product can be installed in many SUBARU vehicles that use a D-type battery, such as the LEGACY, LEVORG, WRX, IMPREZA, FORESTER, EXIGA, and SUBARU BRZ. Example battery model number: 80D23R (Compatible with batteries with "D" as the third digit.)

\* We recommend installation be carried out by your local SUBARU dealer.

## Interior/Others

**BATTERY HOLDER(SILVER)**

ST82182ST010 SILVER

This unique battery holder has a design motif reminiscent of the flexible tower bar. In addition to securely holding the bulky battery, it also adds an attractive highlight to the engine compartment.

\* This product can be installed in many SUBARU vehicles that use a D-type battery, such as the LEGACY, LEVORG, WRX, IMPREZA, FORESTER, EXIGA, and SUBARU BRZ. Example battery model number: 80D23R (Compatible with batteries with "D" as the third digit.)

\* We recommend installation be carried out by your local SUBARU dealer.

**DOOR INNER PROTECTOR**

STSG19101491

The inner part of the door can become scratched or dirty when shoes or bags contact the area as passengers get in and out of the vehicle. In order to avoid this, this protector is recommended.

In addition to its protective qualities, this product can also enhance the interior atmosphere with its sporty look.

The quality of this protector is guaranteed as it uses the same material as the popular product "Door Handle Protector".

By utilizing a thicker PVC material, this product is more durable than sticker-type protectors and is difficult to come off due to a strong-adhesive sheet used on its sticky side.

\* Set of 4 sheets (2 for front, 2 for rear) (for 1 car)