



## STI PERFORMANCE PARTS



LEGACY B4 (BN)

# STI PERFORMANCE PARTS

## Chassis/Body



### FLEXIBLE DRAW TOWER BAR

SG517AL100 (E4010AL000)

This Flexible Tower Bar consists of pieces of a strut tower bar which link the left and right front suspension. In the center of the bar, these pieces are connected with a link ball for flexibility. As a result, this Flexible Tower Bar features both lateral rigidity against cornering G and flexibility to absorb any up-thrust from the road surface. In addition, a draw spring, which can apply tightening tension in advance between left and right strut towers, has newly been introduced. As a consequence, a targeted steering response with reduced dull play which breaks the rigid impression at the beginning of a turn can be obtained. This can allow for a smooth lane change where the direction of G suddenly changes and a smooth turn in a S-shaped curve. The performance of the Flexible Tower Bar that can be felt regardless of the situation will also enhance the driving quality of the Sedan and Outback models.

## STI PERFORMANCE PARTS

### Wheel



#### WHEEL SET 18inch(SILVER/GUNMETALLIC/BLACK)

SG217VA100 (B3110AL031, ST28100VV150) SILVER 18x7.5J+55 PCD114.3 5HOLE

SG217VA110 (B3110AL041, ST28100VV160) GUNMETALLIC 18x7.5J+55 PCD114.3 5HOLE

SG217VA120 (B3110AL051, ST28100VV180) BLACK 18x7.5J+55 PCD114.3 5HOLE

These cast aluminum wheels were made using the spinning production process to form the shape of the rims.

\* The spinning process is a special method for producing aluminum wheels. It involves rapidly rotating the workpiece and pressing it until it conforms to the desired shape. This causes the aluminum molecules to be in close contact with each other, increasing strength while reducing weight and thickness.



#### WHEEL SET 17inch(SILVER/GUNMETALLIC/BLACK)

SG217AL000 SILVER 17x7.5J +55 PCD114.3 5HOLE

SG217AL010 GUNMETALLIC 17x7.5J +55 PCD114.3 5HOLE

SG217AL020 BLACK 17x7.5J +55 PCD114.3 5HOLE

These cast aluminum wheels were made using the spinning production process to form the shape of the rims.

\* The spinning process is a special method for producing aluminum wheels. It involves rapidly rotating the workpiece and pressing it until it conforms to the desired shape. This causes the aluminum molecules to be in close contact with each other, increasing strength while reducing weight and thickness.



#### STI VALVE CAP SET(Black)

ST28102Z2000 Black

These wheel valve caps are light weight with a design that features a knurled finish on machined aluminum to prevent slippage. Remove the standard valve caps to install these. A black alumite treatment has been applied to the surfaces of these valve caps to improve resistance to weather and match the color of aluminum wheels. The hexagonal heads of the valve caps have rounded tops, and a cherry red STI logo is stamped on the embossed area.

- 4-piece Set
- Black Alumite Treatment

\*When storing tires and wheels, we recommend that valve caps be stored separately to prevent sticking.

## STI PERFORMANCE PARTS

### Wheel



#### STI VALVE CAP SET

ST28102ST030 Silver

These wheel valve caps are light weight with a design that features a knurled finish on machined aluminum to prevent slippage. Remove the standard valve caps to install these. A silver alumite treatment has been applied to the surfaces of these valve caps to improve resistance to weather and match the color of aluminum wheels. The hexagonal heads of the valve caps have rounded tops, and a cherry red STI logo is stamped on the embossed area.

- 4-piece Set
- Silver Alumite Treatment

\*When storing tires and wheels, we recommend that valve caps be stored separately to prevent sticking.



#### SECURITY WHEEL NUT SET

ST28170ST060 GUN METALLIC

Set of 16 lug nuts and 4 lock nuts. Enhanced security with a more reliable locking mechanism. 3-layer nickel plated hard steel, with chrome finish to prevent rust. Gun metal finish with laser engraved STI logo. Special tool included (McGuard). M12x1.25mm

## STI PERFORMANCE PARTS

### Aero/Exterior



#### FRONT UNDER SPOILER

SG517AL000 (E2410AL000) Semi-glossy black coating

In addition to improving handling at high speed, this aerodynamic spoiler is popular among drivers who wish to improve the styling of their vehicle. It rectifies airflow passing around and below the front bumper, generating downforce. With improved stability during high speed cornering, it gives an added sense of security to the driver. Semi-glossy black coating. Includes an STI emblem.



#### FRONT UNDER SPOILER (Glossy-black)

SG517AL020 (E2410AL000)

In addition to improving handling at high speed, this aerodynamic spoiler is popular among drivers who wish to improve the styling of their vehicle. It rectifies airflow passing around and below the front bumper, generating downforce. With improved stability during high speed cornering, it gives an added sense of security to the driver. Glossy black coating. Includes an STI emblem.



#### FRONT UNDER SPOILER

ST96020BB050 Semi-glossy black coating

In addition to improving handling at high speed, this aerodynamic spoiler is popular among drivers who wish to improve the styling of their vehicle. It rectifies airflow passing around and below the front bumper, generating downforce. With improved stability during high speed cornering, it gives an added sense of security to the driver. Semi-glossy black coating. Includes an STI emblem.

\* The photo shown above is image of installing the Skirt Lip (Cherry red) (Part number: ST96020ST010) which is sold separately.

## STI PERFORMANCE PARTS

### Aero/Exterior



#### SKIRT LIP (CHERRY RED)

ST96020ST011 CHERRY RED

For installment on front under spoiler.

Installed on the end of the front under spoiler, this part reduces the Clf / Cd while also ensuring protection and giving the vehicle a stylish appearance.

\* This product must be installed together with an STI front under spoiler.

\* Compared to when the front under spoiler is installed, the ground clearance near the center of the front bumper is reduced by 20 mm.



#### DOOR HANDLE PROTECTOR

ST91099ST020

This is a carbon-effect door-handle protector which protects the car from scratches and fingerprints when opening/closing doors. Designed for a grip-type door handle, this not only serves as scratch prevention, but also adds a sporty touch to the door handle surroundings. It can be mounted along the dented form of the door and is pressure-bonded with powerful double-sided tape.

\* Chemical-based products such as waxes and coating agents or solvents including gasoline and thinners can cause stains and deformation of the product. If the cover comes into contact with such chemicals or solvents, clean the product immediately.

\* Please note that the product may detach or loosen if the car is cleaned under high-pressure or steam washing.

\* A set of 4 pieces of the same size for 1 vehicle (4 doors)

\* Carbon-effect PVC

\* When fitting the protector to an IMPREZA/SUBARU XV, please note that part numbers for current models (GK/GT) and former models (GP/GJ) are different.



## Aero/Exterior



### DOOR HANDLE PROTECTOR SILVER

ST91099ST100 SILVER

This is a carbon-effect door-handle protector which protects the car from scratches and fingerprints when opening/closing doors. With the addition of the new silver color, it is now more suitable for use with silver or white light-colored car bodies.

Designed for a grip-type door handle, this not only serves as scratch prevention, but also adds a sporty touch to the door handle surroundings. It can be mounted along the dented form of the door and is pressure-bonded with powerful double-sided tape.

\* Chemical-based products such as waxes and coating agents or solvents including gasoline and thinners can cause stains and deformation of the product. If the cover comes into contact with such chemicals or solvents, clean the product immediately.

\* Please note that the product may detach or loosen if the car is cleaned under high-pressure or steam washing.

\* The image is for illustrative purposes only. The shape may differ from the actual product.

\* A set of 4 pieces of the same size for 1 vehicle (4 doors)

\* Carbon-effect PVC

\* The surface of the product may become cloudy when it is exposed to moisture such as rainwater for a long time. However, this is a characteristic of the material used (PVC) and is not abnormal. It will be restored when dry.

\* When fitting the protector to an IMPREZA/SUBARU XV, please note that part numbers for current models (GK/GT) and former models (GP/GJ) are different.



### SKIRT LIP (CHERRY RED)

ST96020ST010 CHERRY RED

For installment on front under spoiler.

Installed on the end of the front under spoiler, this part reduces the Clf / Cd while also ensuring protection and giving the vehicle a stylish appearance.

\* This product must be installed together with an STI front under spoiler.

\* Compared to when the front under spoiler is installed, the ground clearance near the center of the front bumper is reduced by 20 mm.



### SKIRT LIP

ST960204S292 FOR FRONT UNDER SPOILER

For installment on front under spoiler.

Installed on the end of the bottom of the front under spoiler, this part reduces the Clf / Cd while also ensuring protection and giving the vehicle a stylish appearance. Made from hardened rubber.

\* This product must be installed together with an STI front under spoiler.

\* When this product is installed, car height is lowered by 20mm below at the center.

---

 Engine/Transmission
 

---

**RADIATOR CAP**

ST45137ST001

Opening value pressure changed from 108kPa(0.108MPa)standard value to 130kPa(0.13MPa). This radiator cap reduces the risk of overflow caused by the thermal expansion of coolant water even under severe conditions such as sports driving or circuit driving. Opening valve pressure unit changed from 'bar' to 'Mpa'.

\* When replacing this product, pay careful attention to leakage of water from the piping, and be sure to inspect the coolant water at the start of work.

**AIR CLEANER ELEMENT**

ST1654621010

Non-woven fabric with a low airflow resistance is used as the filter medium, to which mesh is applied to increase rigidity. This prevents the filter medium from falling over or becoming deformed even at high engine speeds, for improved response and increased reliability during sports driving. In addition, the blue color of the filter medium combined with the red color of the resin frame provides an overall sporty appearance.

\* Use of this product with non-compatible models could cause engine trouble and/or damage.

\* Damage to the air flow meter due to replacement with this product may not be covered by the warranty for genuine products.

**OIL FILLER CAP**

ST15257ZR011

This oil filler cap consists of a die-cast aluminum base that has been machined, and given a stylish resin cover.

Shape of the cap has been specially designed to allow for use even when wearing work gloves.

For times when the cap is difficult to remove, it contains special service holes under the resin cover that allow you to use the on-board wheel wrench to loosen the cap when it is too tight to do so by hand. The silver aluminum base with embossed black cap showing the cherry red STI logo adds "functional beauty" to the engine compartment.

\* A gasket is not included. Please use the one attached to the filler cap you removed. If using a new gasket, be sure to use a genuine product for the corresponding model.

\* If this product is installed on non-compatible models, there is the risk of deformation in the oil filler neck.

\* The logo may not face the front.

\* After installation, please ensure that this part does not come into contact with any surrounding components.



---

**STI** STI PERFORMANCE PARTS

---

---

**Engine/Transmission**

---


**PERFORMANCE OIL FILTER**

ST15208ST010

This is an oil filter with enhanced performance thanks to an increased filtration area of 15% compared with a conventional product. With dedicated materials to improve its particle collection performance, this filter also captures fine particles such as carbon and reduces pressure loss by 10%. With the resulting reduced pump loss, this filter is compatible with high viscosity oil, providing stable performance not only on roads but also on the circuit track. It is painted cherry red and features the STI logo.

## STI PERFORMANCE PARTS

### Interior/Others



#### BATTERY HOLDER(SILVER)

ST82182ST010 SILVER

This unique battery holder has a design motif reminiscent of the flexible tower bar. In addition to securely holding the bulky battery, it also adds an attractive highlight to the engine compartment.

\* This product can be installed in many SUBARU vehicles that use a D-type battery, such as the LEGACY, LEVORG, WRX, IMPREZA, FORESTER, EXIGA, and SUBARU BRZ. Example battery model number: 80D23R (Compatible with batteries with "D" as the third digit.)

\* We recommend installation be carried out by your local SUBARU dealer.



#### PUSH ENGINE SWITCH

ST83031ST051

Push-button ignition starter switch for models with keyless entry and push-button starter switches. The cherry red button with the STI logo in the center gives the interior a sporty appearance.

\* For cars with keyless access and push-button start.



#### PUSH ENGINE SWITCH

ST83031ST041

Push-button ignition starter switch for models with keyless entry and push-button starter switches. The cherry red button with the STI logo in the center gives the interior a sporty appearance. Cherry red button, with the STI logo in the center.

\* For cars with keyless access and push-button start.

---

Interior/Others

---

**BATTERY HOLDER**

ST82182ST000 CHERRY RED

This unique battery holder has a design motif reminiscent of the flexible tower bar. In addition to securely holding the bulky battery, it also adds an attractive highlight to the engine compartment.

\* This product can be installed in many SUBARU vehicles that use a D-type battery, such as the LEGACY, LEVORG, WRX, IMPREZA, FORESTER, EXIGA, and SUBARU BRZ. Example battery model number: 80D23R (Compatible with batteries with "D" as the third digit.)

\* We recommend installation be carried out by your local SUBARU dealer.