





## STI PERFORMANCE PARTS



LEVORG (VM)

Please consult with your local SUBARU dealership or an authorized SUBARU distributor to confirm the availability, price and installation.  
Colors shown may vary due to displays and printing processes.

## Chassis/Body

**FLEXIBLE DRAW STIFFENER Rr**

ST20168VR000

In addition to increasing the rigidity at the front of the car with the FLEXIBLE V BAR or FLEXIBLE TOWER BAR, we recommend that you also install this product, to improve the followability of the rear of the car together with the FLEXIBLE V BAR or FLEXIBLE TOWER BAR.

By attaching this to the rear ends of the left and right rear frames (inside the rear bumper) and applying moderate tension, it corrects the bending of the chassis when the car is running. This leads to both initial agile steering and a smooth ride.

As this part improves the road-contact of the four wheels, driving stability during cornering increases, and thus a quick and straightforward steering feeling can be realized.

This product comes with an original sticker. (Sticker size: length 41 mm x width 36 mm)

\* To install this product, removal and reattachment of the rear bumper face is required.

\* The included sticker is a complimentary gift and not sold separately.

Please note that the sticker is not eligible for repair caused by a mistake in applying or damage in its use.

\* The images illustrate how this product is installed on the LEVORG (VN type) and SUBARU BRZ (ZD type).

Please note that this product is actually installed inside the bumper and is not visible from the outside.

\* On the LEVORG (VM type) this part cannot be installed together with the STI Rear Under Spoiler (part number: SG517VA360, SG517VA310) because the mounting location is the same.

\* Cannot install together with other products (Ex. Hitch member) which attaches to the bumper beam.


**FLEXIBLE TOWER BAR FRONT**

ST20502VV030 WRX S4/LEVORG

This is a strut tower bar with a completely new concept - splitting an aluminum tower bar in the center and connecting the two pieces with pillow ball joints. As the left and right pieces are flexibly connected, the bar can moderately handle longitudinal forces such as from gaps on the road to maintain ride comfort while strongly holding against lateral forces during cornering. As a result, not only cornering performance but also straight-line stability and ride comfort is improved to enhance the comprehensive performance level of the car.

\* This product was designed under the assumption that the STI flexible draw stiffener (Part No. ST20118VV000) is also mounted on the vehicle.

\* This product cannot be installed on Left hand vehicles.

**FLEXIBLE DRAW STIFFENER F**


ST20118VV000

This STI original sports performance part applies moderate tension between the vehicle body and cross member to prevent the chassis from bending when you drive the vehicle. This results in agile and responsive initial steering, as well as a comfortable ride. The vehicle will boast better grip on all four wheels, improved stability when cornering, and also fast and responsive steering performance.

\* This product was designed under the assumption that the STI flexible tower bar (Part No. ST20502VV000) is also mounted on the vehicle.

Chassis/Body

---

**FLEXIBLE SUPPORT SUB FRAME R**

ST20157VV000

This is a stiffening component that connects the rear cross member to the vehicle body. As opposed to the standard rigid type, this product is equipped with a rubber bushing to divide the left and right sides, adding flexibility to the rear side of the vehicle. Special STI tuning of the transmission of power from front to rear during steering, and improved grip on all four wheels increase stability during cornering, ensure fast and responsive steering performance for the driver, and provide a comfortable driving experience.

\* This product was designed under the assumption that the STI flexible tower bar is also mounted on the vehicle.

---

 Suspension
 

---

**COIL SPRING F**

ST20330VV010 WRX S4/LEVORG

These coil springs were developed through repeated driving tests under various conditions to achieve the best possible match with genuine dampers and EyeSight. They increase roll rigidity and improve driving stability without ever compromising passenger comfort which is essential for grand touring cars. The vehicle height is 7 mm lower compared to standard models to reduce roll and give the Subaru WRX model a more sporty look.

Approximately. 7 mm lower / Compatible with EyeSight

\* The part number is for one spring (1 piece), need 2 pieces for both sides.

\* These coil springs are for compatible models only.

\* If they are installed on a different model, it may upset the front/rear balance. Do not install on a non-compatible model.

\* Vehicle height is reduced by approximately 7 mm from the standard height (when the car is empty). However, the change in car height might vary depending on optional accessories installed and individual differences in car bodies and parts.

\*Approximately. 7 mm lower / Compatible with EyeSight

**COIL SPRING F (For 1.6GT-S D type and thereafter)**

ST20330VV120

These coil springs were developed through repeated driving tests under various conditions. They increase roll rigidity and improve driving stability without ever compromising passenger comfort. The vehicle height is 7mm lower compared to standard models to reduce roll and give LEVORG model a more sporty look.

\* The part number is for one spring (1 piece), need 2 pieces for both sides.

\* These coil springs are for compatible models only.

\* For standard front struts.

\* If they are installed on a different model, it may upset the front/rear balance. Do not install on a non-compatible model.

\* Vehicle height is reduced by approximately 7 mm from the standard height (when the car is empty). However, the change in car height might vary depending on optional accessories installed and individual differences in car bodies and parts.

---

 Suspension
 

---

**COIL SPRING F (For 2.0GT-S D type and thereafter)**

ST20330VV130

These coil springs were developed through repeated driving tests under various conditions. They increase roll rigidity and improve driving stability without ever compromising passenger comfort. The vehicle height is 7mm lower compared to standard models to reduce roll and give LEVORG model a more sporty look.

\* The part number is for one spring (1 piece), need 2 pieces for both sides.

\* These coil springs are for compatible models only.

\* For standard front struts.

\* If they are installed on a different model, it may upset the front/rear balance. Do not install on a non-compatible model.

\* Vehicle height is reduced by approximately 7 mm from the standard height (when the car is empty). However, the change in car height might vary depending on optional accessories installed and individual differences in car bodies and parts.

**COIL SPRING R (For GT A to C type, KYB strut)**

ST20380VV040 LEVORG KYB

These coil springs were developed through repeated driving tests under various conditions to achieve the best possible match with genuine dampers and EyeSight. They increase roll rigidity and improve driving stability without ever compromising passenger comfort which is essential for grand touring cars. The vehicle height is 8 mm lower compared to standard models to reduce roll and give LEVORG model a more sporty look. Approximately.

\* The part number is for one spring (1 piece), need 2 pieces for both sides.

\* These coil springs are for compatible models only.

\* For standard front struts and rear shock absorbers.

\* If they are installed on a different model, it may upset the front/rear balance. Do not install on a non-compatible model.

\* Vehicle height is reduced by approximately 7 mm from the standard height (when the car is empty). However, the change in car height might vary depending on optional accessories installed and individual differences in car bodies and parts.

\* Approximately. 7 mm lower / Compatible with EyeSight

\* The displayed price is for one spring.

\* For vehicles equipped with standard (KYB) dampers.

---

 Suspension
 

---


**COIL SPRING R (For GT-S, A to C type, for BILSTEIN strut)**

ST20380VV050 LEVORG BILSTEIN

These coil springs were developed through repeated driving tests under various conditions to achieve the best possible match with genuine dampers and EyeSight. They increase roll rigidity and improve driving stability without ever compromising passenger comfort which is essential for grand touring cars. The vehicle height is 9 mm lower compared to standard models to reduce roll and give LEVORG model a more sporty look.

- \* The part number is for one spring (1 piece), need 2 pieces for both sides.
- \* These coil springs are for compatible models only.
- \* For standard front struts and rear shock absorbers.
- \* If they are installed on a different model, it may upset the front/rear balance. Do not install on a non-compatible model.
- \* Vehicle height is reduced by approximately 9 mm from the standard height (when the car is empty). However, the change in car height might vary depending on optional accessories installed and individual differences in car bodies and parts.
- \* Approximately 9 mm lower / Compatible with EyeSight
- \* For vehicles equipped with standard Bilstein dampers.


**COIL SPRING R (for STI Sport)**

ST20380VV100

This product was perfected through repeated driving tests under various conditions to achieve the best possible match with the LEVORG STI Sport standard dampers and EyeSight. It increases roll rigidity and improves driving stability while maintaining the driving comfort suitable for grand touring cars.

The vehicle height is approximately 7 mm lower compared to standard models to reduce roll and give the LEVORG STI Sport model a more sporty look.

- \* The part number is for one spring (1 piece), need 2 pieces for both sides.
- \* For the front, use the existing coil spring F (Part No. ST20330VV010).
- \* These coil springs are for compatible models only. If they are installed on a different model, it may upset the front/rear balance. Do not install on a non-compatible model.
- \* Vehicle height is reduced by approximately 7 mm from the standard height (when the car is empty). However, the change in car height varies depending on optional accessories installed and individual differences in car bodies and parts.

---

 Suspension
 

---

**COIL SPRING R (For 1.6GT-S D type and thereafter)**

ST20380VV150

This product was perfected through repeated driving tests under various conditions to achieve the best possible match with the LEVORG 1.6GT-S standard dampers and EyeSight. It increases roll rigidity and improves driving stability while maintaining the driving comfort suitable for grand touring cars.

The vehicle height is approximately 7 mm lower compared to standard models to reduce roll and give the LEVORG 1.6GT-S model a more sporty look.

\* The part number is for one spring (1 piece), need 2 pieces for both sides.

\* These coil springs are for compatible models only. If they are installed on a different model, it may upset the front/rear balance. Do not install on a non-compatible model.

\* Vehicle height is reduced by approximately 7 mm from the standard height (when the car is empty). However, the change in car height varies depending on optional accessories installed and individual differences in car bodies and parts.

**COIL SPRING R (For 2.0GT-S D type and thereafter)**

ST20380VV160

This product was perfected through repeated driving tests under various conditions to achieve the best possible match with the LEVORG 2.0GT-S standard dampers and EyeSight. It increases roll rigidity and improves driving stability while maintaining the driving comfort suitable for grand touring cars.

The vehicle height is approximately 7 mm lower compared to standard models to reduce roll and give the LEVORG 2.0GT-S model a more sporty look.

\* The part number is for one spring (1 piece), need 2 pieces for both sides.

\* These coil springs are for compatible models only. If they are installed on a different model, it may upset the front/rear balance. Do not install on a non-compatible model.

\* Vehicle height is reduced by approximately 7 mm from the standard height (when the car is empty). However, the change in car height varies depending on optional accessories installed and individual differences in car bodies and parts.

**LATERAL LINK SET**

ST20250VV000

The movement of the rear suspension has been made smoother, the friction of the stroke has been reduced, and the camber rigidity has been increased by replacing the rubber bushing inside the lateral link with a pillow ball bushing. Sharp handling is possible during cornering, and linear suspension characteristics from entering until exiting a corner are achieved.

\* Pillow ball bush, press-fitted, 2-piece set

---

 Wheel
 

---


**WHEEL SET 18inch(SILVER/GUNMETALLIC/BLACK)**

SG217VA100 (B3110AL031, ST28100VV150) SILVER 18x7.5J+55  
PCD114.3 5HOLE  
SG217VA110 (B3110AL041, ST28100VV160) GUNMETALLIC  
18x7.5J+55 PCD114.3 5HOLE  
SG217VA120 (B3110AL051, ST28100VV180) BLACK 18x7.5J+55  
PCD114.3 5HOLE

These cast aluminum wheels were made using the spinning production process to form the shape of the rims.

\* The spinning process is a special method for producing aluminum wheels. It involves rapidly rotating the workpiece and pressing it until it conforms to the desired shape. This causes the aluminum molecules to be in close contact with each other, increasing strength while reducing weight and thickness.


**WHEEL SET 17inch(SILVER/GUNMETALLIC/BLACK)**

SG217VA200 (ST28100VV000) SILVER 17x7.0J+55 PCD114.3 5HOLE  
SG217VA210 (ST28100VV010) GUNMETALLIC 17x7.0J+55 PCD114.3  
5HOLE  
SG217VA220 (ST28100VV030) BLACK 17x7.0J+55 PCD114.3 5HOLE

These cast aluminum wheels were made using the spinning production process to form the shape of the rims.

\* The spinning process is a special method for producing aluminum wheels. It involves rapidly rotating the workpiece and pressing it until it conforms to the desired shape. This causes the aluminum molecules to be in close contact with each other, increasing strength while reducing weight and thickness.


**STI Performance Wheel Set 18inch 8.0J (Mat Gunblack)**

ST28100VV471

Co-developed with RAYS, this forged aluminum wheel has specially applied stiffness tuning tailored to the characteristics of SUBARU vehicles on the surface of the wheel disk, its spokes and rim.

The lightweight high-rigidity wheel is made possible thanks to its billet molding. Unlike common molding methods, in billet molding, metal is heated while pressed on to a mold under high-pressure. As a result the dense metallic structure offers strength without increasing weight in order for the wheel to provide high responsiveness to handling. (Weight: approximately 8.7 kg)



# STI PERFORMANCE PARTS

## Wheel



### STI Performance Wheel Set 18inch 8.0J

ST28100VV401 DIAMOND BLACK 18 x 8.0J +53 PCD114.3 5 holes  
 ST28100VV411 GUNMETALLIC 18 x 8.0J +53 PCD114.3 5 holes

Co-developed with RAYS, this forged aluminum wheel has specially applied stiffness tuning tailored to the characteristics of SUBARU vehicles on the surface of the wheel disk, its spokes and rim.

The lightweight high-rigidity wheel is made possible thanks to its billet molding. Unlike common molding methods, in billet molding, metal is heated while pressed on to a mold under high-pressure. As a result the dense metallic structure offers strength without increasing weight in order for the wheel to provide high responsiveness to handling. (Weight: approximately 8.7 kg)

\* A center cap and air valve are included.

\* The recommended tire size is 245/40R18.

\* The repair part number for the valve: ST28102ST010, and for the center cap: ST28821ST030

\* The weight of wheel would slightly change.



### WHEEL SET 19inch(SILVER/GUN METALLIC/BLACK)

ST28100VV300 SILVER 19x8.0J+53 PCD114.3 5HOLE  
 ST28100VV310 GUN METALLIC 19x8.0J+53 PCD114.3 5HOLE  
 ST28100VV330 BLACK 19x8.0J+53 PCD114.3 5HOLE

These cast aluminum 19 inch wheels were made using the spinning production process to form the shape of the rims. This ensures a reduced weight with increased rigidity. Their design with V-shape spokes perfectly matches the body design and its colours.

\* The spinning process is a special method for producing aluminum wheels. It involves rapidly rotating the workpiece and pressing it until it conforms to the desired shape. This causes the aluminum molecules to be in close contact with each other, increasing strength while reducing weight and thickness.

\* Compatible with Brembo 4POT calipers



### STI VALVE CAP SET(Black)

ST28102Z2000 Black

These wheel valve caps are light weight with a design that features a knurled finish on machined aluminum to prevent slippage. Remove the standard valve caps to install these. A black alumite treatment has been applied to the surfaces of these valve caps to improve resistance to weather and match the color of aluminum wheels. The hexagonal heads of the valve caps have rounded tops, and a cherry red STI logo is stamped on the embossed area.

- 4-piece Set

- Black Alumite Treatment

\*When storing tires and wheels, we recommend that valve caps be stored separately to prevent sticking.

## STI PERFORMANCE PARTS

### Wheel



#### STI VALVE CAP SET

ST28102ST030 Silver

These wheel valve caps are light weight with a design that features a knurled finish on machined aluminum to prevent slippage. Remove the standard valve caps to install these. A silver alumite treatment has been applied to the surfaces of these valve caps to improve resistance to weather and match the color of aluminum wheels. The hexagonal heads of the valve caps have rounded tops, and a cherry red STI logo is stamped on the embossed area.

- 4-piece Set
- Silver Alumite Treatment

\*When storing tires and wheels, we recommend that valve caps be stored separately to prevent sticking.



#### SECURITY WHEEL NUT SET

ST28170ST060 GUN METALLIC

Set of 16 lug nuts and 4 lock nuts. Enhanced security with a more reliable locking mechanism. 3-layer nickel plated hard steel, with chrome finish to prevent rust. Gun metal finish with laser engraved STI logo. Special tool included (McGuard). M12x1.25mm



#### STI Performance Wheel Set 18inch 8.0J

ST28100VV400 DIAMOND BLACK 18 x 8.0J +53 PCD114.3 5 holes

Co-developed with RAYS, this forged aluminum wheel has specially applied stiffness tuning tailored to the characteristics of SUBARU vehicles on the surface of the wheel disk, its spokes and rim.

The lightweight high-rigidity wheel is made possible thanks to its billet molding. Unlike common molding methods, in billet molding, metal is heated while pressed on to a mold under high-pressure. As a result the dense metallic structure offers strength without increasing weight in order for the wheel to provide high responsiveness to handling. (Weight: approximately 8.7 kg)

\* A center cap and air valve are included.

\* The recommended tire size is 245/40R18.

\* The repair part number for the valve: ST28102ST010, and for the center cap: ST28821ST030

\* The weight of wheel would slightly change.

## STI PERFORMANCE PARTS

### Aero/Exterior



#### FRONT UNDER SPOILER (A to C type)

SG517VA010 (E2410VA010) Besides STI Sport

This aerodynamic plastic spoiler is installed under the front bumper. It controls the flow of air into the front of the vehicle when driving at high speed and generates negative lift to increase the road gripping ability of the front tires. It has been designed to fit seamlessly with the front bumper and delivers both a stylish design and high performance validated after multiple wind tunnel tests. Semi-glossy black coating, with STI emblem. Installation of a separately sold lip skirt allows an even higher level of air flow rectification and protects the front under spoiler from hitting the road surface.

\* This product cannot be installed along with the front under skirt.

\* Installing the front under spoiler reduces clearance approximately 30 mm below the standard bumper.



#### FRONT UNDER SPOILER (D type and thereafter)

SG517VA040 (E2410VA040) Besides STI Sport

This aerodynamic plastic spoiler is installed under the front bumper. It controls the flow of air into the front of the vehicle when driving at high speed and generates negative lift to increase the road gripping ability of the front tires. It has been designed to fit seamlessly with the front bumper and delivers both a stylish design and high performance validated after multiple wind tunnel tests. Semi-glossy black coating, with STI emblem. Installation of a separately sold lip skirt allows an even higher level of air flow rectification and protects the front under spoiler from hitting the road surface.

\* This product cannot be installed along with the front under skirt.

\* Installing the front under spoiler reduces clearance approximately 30 mm below the standard bumper.



#### FRONT UNDER SPOILER for STI Sport

SG517VA020 (E2410VA020) For STI Sport

This aerodynamic plastic spoiler is installed under the front bumper. It controls the flow of air into the front of the vehicle when driving at high speed and generates negative lift to increase the road gripping ability of the front tires. It has been designed to fit seamlessly with the front bumper and delivers both a stylish design and high performance validated after multiple wind tunnel tests. Semi-glossy black coating, with STI emblem. Installation of a separately sold lip skirt allows an even higher level of air flow rectification and protects the front under spoiler from hitting the road surface.

\* This product cannot be installed along with the front under skirt.

\* Installing the front under spoiler reduces clearance approximately 30 mm below the standard bumper.

\* Specialized for STI SPORT

# STI PERFORMANCE PARTS

## Aero/Exterior



### SIDE UNDER SPOILER

SG517VA110 (E2610VA110)

This spoiler rectifies the flow of air from the front to the side of the vehicle and improves driving stability. It controls the flow of air under the vehicle body and prevents it from lifting the vehicle by diverting it toward the rear. It was designed under the assumption that the already available front under spoiler and side under spoiler are also installed on the vehicle. These parts deliver optimal performance when used in combination.

\* This product cannot be installed along with the aero splash guards or side strakes.

\* Vehicle ground clearance will be reduced by up to approximately 15 mm.

\* Please be careful to protect this product when driving on snow, uneven road surfaces, or when exiting the vehicle. Failure to do so may result in scratches, deformation, or accidental removal of the part.



### REAR SIDE UNDER SPOILER

SG517VA500 (E5610VA500)

This aerodynamic part rectifies the flow of air from front to rear and optimally balances the aerodynamic performance throughout the vehicle. To ensure that the vehicle has the best possible appearance, the front and side under spoilers should also be installed. This gives the vehicle a more complete look.

\* This product cannot be installed along with the aero splash guards or rear bumper guards.

\* After installing this product, vehicle ground clearance will be reduced by up to approximately 13 mm.



### REAR UNDER SPOILER

SG517VA360 (E5610VA360)

This aerodynamic part rectifies the flow of air from front to rear and optimally balances the aerodynamic performance throughout the vehicle. To ensure that the vehicle has the best possible appearance, the front and side under spoilers should also be installed. This gives the vehicle a more complete look.

\* Minimum vehicle ground clearance will be modified.

## Aero/Exterior

**DOOR HANDLE PROTECTOR SILVER**

ST91099ST100 SILVER

This is a carbon-effect door-handle protector which protects the car from scratches and fingerprints when opening/closing doors. With the addition of the new silver color, it is now more suitable for use with silver or white light-colored car bodies.

Designed for a grip-type door handle, this not only serves as scratch prevention, but also adds a sporty touch to the door handle surroundings. It can be mounted along the dented form of the door and is pressure-bonded with powerful double-sided tape.

\* Chemical-based products such as waxes and coating agents or solvents including gasoline and thinners can cause stains and deformation of the product. If the cover comes into contact with such chemicals or solvents, clean the product immediately.

\* Please note that the product may detach or loosen if the car is cleaned under high-pressure or steam washing.

\* The image is for illustrative purposes only. The shape may differ from the actual product.

\* A set of 4 pieces of the same size for 1 vehicle (4 doors)

\* Carbon-effect PVC

\* The surface of the product may become cloudy when it is exposed to moisture such as rainwater for a long time. However, this is a characteristic of the material used (PVC) and is not abnormal. It will be restored when dry.

\* When fitting the protector to an IMPREZA/SUBARU XV, please note that part numbers for current models (GK/GT) and former models (GP/GJ) are different.

**BUMPER CANARD**

ST96020VV230

This is an aerodynamic part which enhances the stability of the car during high-speed driving. Controlling the airflow received at the front of the car, this bumper canard optimizes the lift force applied on the front wheels to improve the road-holding property of the front tires, which enables more stable driving at high speeds.

The shape of the canard, which blends seamlessly with the design of the front bumper, has been verified repeatedly in wind-tunnel tests to meet both design and performance requirements. The canard is painted in semi-gloss black.

\* This is an exclusive product only for the bumper of the LEVORG STI Sport and cannot be installed on cars of any other grade.

\* Removal and re-fitting of the front bumper will require installing this product.

**SKIRT LIP**

ST960204S292 FOR FRONT UNDER SPOILER

For installment on front under spoiler.

Installed on the end of the bottom of the front under spoiler, this part reduces the Clf / Cd while also ensuring protection and giving the vehicle a stylish appearance. Made from hardened rubber.

\* This product must be installed together with an STI front under spoiler.

\* When this product is installed, car height is lowered by 20mm below at the center.

## STI PERFORMANCE PARTS

### Aero/Exterior



#### SKIRT LIP (CHERRY RED)


ST96020ST010 CHERRY RED

For installment on front under spoiler.

Installed on the end of the front under spoiler, this part reduces the Clf / Cd while also ensuring protection and giving the vehicle a stylish appearance.

\* This product must be installed together with an STI front under spoiler.

\* Compared to when the front under spoiler is installed, the ground clearance near the center of the front bumper is reduced by 20 mm.



#### DOOR MIRROR COVER (CHERRY RED) RH/LH

ST91054VV070

ST91054VV080

With this stylish Door Mirror Cover painted in cherry red, you can create a sporty appearance reminiscent of the NBR Challenge or SUPER GT racing cars. As this add-on is a genuine replacement part and the same shape as the original cover, no special work is required to install it on your car.

\* The image shows how it looks when ST91054VV080 is fitted on a LEVORG STI Sport.

\* This product is sold for the left and right-hand sides separately.



#### ROOF END SPOILER

ST96050VV320

An aerodynamic performance addition developed with countless wind tunnel testing. To boost the LEVORG's grand touring performance, this roof spoiler is designed to reduce sway and the amount of steering correction required on the road, as well as improve vehicle behavior. The intricately designed shape of the vortex generators help to channel airflow for maximum vehicle stability, resulting in 39.2 N (4 kgf) increased down force\*1 over the rear axle at 100 km/h in testing. At 80 km/h, yaw rate control is improved by 75% and cornering force by 67%\*. To ensure overall aerodynamic balance, installation together with the front under spoiler and skirt lips is recommended.

\* STI measured values, compared to standard conditions.

## Aero/Exterior

**DOOR HANDLE PROTECTOR**

ST91099ST020

This is a carbon-effect door-handle protector which protects the car from scratches and fingerprints when opening/closing doors. Designed for a grip-type door handle, this not only serves as scratch prevention, but also adds a sporty touch to the door handle surroundings. It can be mounted along the dented form of the door and is pressure-bonded with powerful double-sided tape.

\* Chemical-based products such as waxes and coating agents or solvents including gasoline and thinners can cause stains and deformation of the product. If the cover comes into contact with such chemicals or solvents, clean the product immediately.

\* Please note that the product may detach or loosen if the car is cleaned under high-pressure or steam washing.

\* A set of 4 pieces of the same size for 1 vehicle (4 doors)

\* Carbon-effect PVC

\* When fitting the protector to an IMPREZA/SUBARU XV, please note that part numbers for current models (GK/GT) and former models (GP/GJ) are different.

**PIN STRIPE SET (SILVER/DARK GRAY/CHERRY RED)**

ST91042ST020 SILVER

ST91042ST030 DARK GRAY

ST91042ST040 CHERRY RED

This pin stripe decal accessory gives the side body a sharp appearance. The pin stripe provides a sporty look, highlighting the lines along the side body. You can choose between three different pin stripe colors to match the color shade of the body where the stripe is to be applied: silver, dark gray, or cherry red, an STI trademark color which fits any body color shade.

**TAILGATE GARNISH COMBI**

ST91042VV050 COMBI (3-colour)

This is a 3-color stripe "Combi" garnish in silver, black and cherry red, to be attached to the lower part of the tailgate.

This is made of a special, highly weather resistant resin called Hyboscal.

\* The surface may become white or cloudy if exposed to moisture such as rainwater for an extended period of time. However, this is a characteristic of the material (Hyboscal=PVC) and is not abnormal. The color will return to normal when dry.

---

**STI** STI PERFORMANCE PARTS

---

Aero/Exterior

---

**TAILGATE GARNISH (CHERRY RED)**

ST91042VV060 CHERRY RED

This is a single-color garnish in cherry red, to be attached to the lower part of the tailgate.

By applying the tailgate garnish to the rear of the vehicle together with a front skirt lip (cherry red) and side door mirror covers (cherry red), you can achieve a cherry red accent throughout the exterior of the vehicle.

\* The surface may become white or cloudy if exposed to moisture such as rainwater for an extended period of time. However, this is a characteristic of the material (Hyboscal=PVC) and is not abnormal. The color will return to normal when dry.



---

Muffler

---


**PERFORMANCE MUFFLER EXH KIT**

STPKG40VV001

The exhaust system for LEVORG owners seeking to extract even more performance from their car. The exhaust system has been tuned for quick engine response to throttle input with back pressure by reduced more than 40%, and also saves around 3.5 kg in weight (compared to the standard system). These improvements allow the engine to get up to speed much faster when taking off or exiting corners at low speeds. Styled with a 101.6 mm angled outlet for a tasteful, sporty rear design, and exclusive STI tuning for optimum performance without impacting on the engine. The exhaust sound has been tuned specifically to produce a classy, refined note befitting of the LEVORG.

\* 101.6 mm diameter tail pipe, left and right, with low back pressure muffler + EPR (connecting pipe) set, mirror finish, and STI logo

\* Two gaskets (SUBARU genuine Part No. 44011SG010), one gasket (SUBARU genuine Part No. 44022AA123), and four self-locking nuts (SUBARU genuine Part No. 902330011) are required separately.

\* The explanation of this product is for Japanese specification.

---


**PERFORMANCE MUFFLER (Low back pressure)**

ST44300VV020

This muffler is made completely out of buffed stainless steel. It has 101.6-mm slash cut tail pipes, and comes in a set of two (left and right) with one exhaust on each side. It is tuned by STI and has a safe and reliable structure that will not affect the power unit or exhaust system. This high-performance muffler boasts an airflow resistance that is at least 35% lower compared to the standard models, and weighs approximately 3.5 kg less compared to standard vehicles. In addition, the exhaust sound is tuned specifically to a sporty feel and high-quality sound that fits the character of LEVORG.

\* Two gaskets (SUBARU genuine Part No. 44011SG010) and four self-locking nuts (SUBARU genuine Part No. 902330011) are required separately.

\* This product cannot be installed along with the SUBARU genuine rear bumper skirt.

# STI PERFORMANCE PARTS

## Brake



### BRAKE PAD SET F

ST26296ST090

These brake pads were developed with the aim of improving braking control, whether on a city road or winding roads.

This sports pad ensures suitable braking performance and improves fade resistance. The specifications were set to achieve a high level of balance between each component that contributes to the brake feeling required for street use, such as a direct pedal action feeling, reliability against fading, and low rotor aggressiveness. Cherry red coating with STI logo

\*Some judder (vibration of the car body) and noise will occur when braking, due to the coefficient of friction and heat resistance properties of the friction material that is used. Wear on the pads and rotors might occur slightly faster than normal.



### BRAKE PAD SET R

ST26296ST170

These brake pads were developed with the aim of improving braking control. Whether for city driving or sport driving, they are designed to always maintain good braking performance and braking control. We have tuned and equipped the pads with a different friction material that reduces abnormal noise. Also, these brake pads are compatible with EyeSight and EPB (electric parking brake). The set includes left and right pads.

We recommend using this product in combination with "Drilled Disc Rotor F" and "Drilled Disc Rotor R," both STI performance parts. However, you can also use the brake pads with Subaru genuine standard brake rotors.

\* This can be used together with the standard rotors (though we recommend installing it as a set with the STI drilled disc rotors).

\* These brake pads may squeak depending on driving conditions or weather.



### DRILLED DISC F

ST26300VV000

This brake rotor was designed to further improve braking control and rotor cooling performance while reducing weight. The rotor disc surface is equipped with drilled cooling holes and has a spiral vane structure, which improves cooling performance at high temperatures by 7% compared to standard brake rotors. In addition, the rotor boasts better surface cleaning properties, more stable u-characteristics due to the degassing effect during the fading process, and improved control. A single front rotor is also approximately 300 g lighter, and a rear rotor is approximately 200 g lighter than the standard model, reducing the unsprung mass. The product is compatible with EyeSight.

\* This comes only one piece. 2 pieces are necessary per vehicle.

\* For vehicles with 17-inch brakes

\* This product can be used on both the left and right sides. The direction of the drill holes when installing this product vary between left and right, but this does not affect the performance.

\* This can be used together with the standard pads (though we recommend installing it as a set with the STI brake pads).

## Brake

**DRILLED DISC REAR**

ST26700VV000

This brake rotor was designed to further improve braking control and rotor cooling performance while reducing weight. The rotor disc surface is equipped with drilled cooling holes and has a spiral vane structure, which improves cooling performance at high temperatures by 7% compared to standard brake rotors. In addition, the rotor boasts better surface cleaning properties, more stable u-characteristics due to the degassing effect during the fading process, and improved control. A single front rotor is also approximately 300 g lighter, and a rear rotor is approximately 200 g lighter than the standard model, reducing the weight beneath the springs. The product is compatible with EyeSight.

\* Not compatible with NEW WRX S4(VB) MT cars.

\* This comes only one piece. (2 pieces are necessary per vehicle)

\* For vehicles with 17-inch brakes

\* When install this product in LEVORS(VN) and NEW WRX S4(VB), four (4) SUBARU genuine bolts (product number:901260024) are required.

\* This product can be used on both the left and right sides. The direction of the drill holes when installing this product vary between left and right, but this does not affect the performance.

\* This can be used together with the standard pads (though we recommend installing it as a set with the STI brake pads).

# STI PERFORMANCE PARTS

## Engine/Transmission



### PERFORMANCE OIL FILTER

ST15208ST010

This is an oil filter with enhanced performance thanks to an increased filtration area of 15% compared with a conventional product. With dedicated materials to improve its particle collection performance, this filter also captures fine particles such as carbon and reduces pressure loss by 10%. With the resulting reduced pump loss, this filter is compatible with high viscosity oil, providing stable performance not only on roads but also on the circuit track. It is painted cherry red and features the STI logo.



### RADIATOR CAP

ST45137ST001

Opening value pressure changed from 108kPa(0.108MPa)standard value to 130kPa(0.13MPa). This radiator cap reduces the risk of overflow caused by the thermal expansion of coolant water even under severe conditions such as sports driving or circuit driving. Opening valve pressure unit changed from 'bar' to 'Mpa'.

\* When replacing this product, pay careful attention to leakage of water from the piping, and be sure to inspect the coolant water at the start of work.



### AIR CLEANER ELEMENT

ST1654621010

Non-woven fabric with a low airflow resistance is used as the filter medium, to which mesh is applied to increase rigidity. This prevents the filter medium from falling over or becoming deformed even at high engine speeds, for improved response and increased reliability during sports driving. In addition, the blue color of the filter medium combined with the red color of the resin frame provides an overall sporty appearance.

\* Use of this product with non-compatible models could cause engine trouble and/or damage.

\* Damage to the air flow meter due to replacement with this product may not be covered by the warranty for genuine products.

---

**Engine/Transmission**

---

**OIL FILLER CAP**

ST15257ZR010

This oil filler cap consists of a die-cast aluminum base that has been machined, and given a stylish resin cover.

Shape of the cap has been specially designed to allow for use even when wearing work gloves.

For times when the cap is difficult to remove, it contains special service holes under the resin cover that allow you to use the on-board wheel wrench to loosen the cap when it is too tight to do so by hand. The silver aluminum base with embossed black cap showing the cherry red STI logo adds "functional beauty" to the engine compartment.

\* A gasket is not included. Please use the one attached to the filler cap you removed. If using a new gasket, be sure to use a genuine product for the corresponding model.

\* If this product is installed on non-compatible models, there is the risk of deformation in the oil filler neck.

\* The logo may not face the front.

## STI PERFORMANCE PARTS

### Interior/Others



#### SHIFT KNOB (CVT)

SG117SG101 (C1010SG101)

The top and grip of this premium shift knob are made from high-quality genuine leather which gives the product a luxurious feel and makes shifting gears more comfortable. Wrapped in leather, with the STI logo embroidery

\* This product can only be installed on a Lineartronic CVT vehicle.




#### PEDAL PAD SET (AT)

SG317FG000 Besides Aluminum Pedal

These pedals are equipped with rubber pads and non-slip sheets to prevent slipping. Their shape makes the pedals comfortable to operate.

\* This product cannot be installed on vehicles equipped with sports pedals with aluminum pads.



#### BATTERY HOLDER(SILVER)

ST82182ST010 SILVER

This unique battery holder has a design motif reminiscent of the flexible tower bar. In addition to securely holding the bulky battery, it also adds an attractive highlight to the engine compartment.

\* This product can be installed in many SUBARU vehicles that use a D-type battery, such as the LEGACY, LEVORG, WRX, IMPREZA, FORESTER, EXIGA, and SUBARU BRZ. Example battery model number: 80D23R (Compatible with batteries with "D" as the third digit.)

\* We recommend installation be carried out by your local SUBARU dealer.

## Interior/Others

**STEERING WHEEL**

ST34312VV011

This steering wheel is made from the Ultra suede material which is also utilized in STI complete cars and provides excellent grip. You can always maintain a steady grip whether you hold the wheel with bare hands or wear driving gloves, which improves the vehicle handling performance.

\* Ultra suede(R) is a registered trademark of Toray Industries, Inc.

\* Unlike complete cars, there is no center mark.

\* For peripherals including airbags, the horn, and various switches, reuse the ones installed on the vehicle.

\* This product has lower durability than genuine leather, and after a long period of use, may be subject to friction marks or sweat stains.


\* We do not offer post-sales service such as dry-cleaning or replacements.

**PUSH ENGINE SWITCH**

ST83031ST041

Push-button ignition starter switch for models with keyless entry and push-button starter switches. The cherry red button with the STI logo in the center gives the interior a sporty appearance. Cherry red button, with the STI logo in the center.

\* For cars with keyless access and push-button start.

**DOOR INNER PROTECTOR**

STSG18100520 BLACK

The inner part of the door can become scratched or dirty when shoes or bags contact the area as passengers get in and out of the vehicle. In order to avoid this, this protector is recommended.

In addition to its protective qualities, this product can also enhance the interior atmosphere with its sporty look.

The quality of this protector is guaranteed as it uses the same material as the popular product "Door Handle Protector".

By utilizing a thicker PVC material, this product is more durable than sticker-type protectors and is difficult to come off due to a strong-adhesive sheet used on its sticky side.

Interior/Others

---

**BATTERY HOLDER**

ST82182ST000 CHERRY RED

This unique battery holder has a design motif reminiscent of the flexible tower bar. In addition to securely holding the bulky battery, it also adds an attractive highlight to the engine compartment.

\* This product can be installed in many SUBARU vehicles that use a D-type battery, such as the LEGACY, LEVORG, WRX, IMPREZA, FORESTER, EXIGA, and SUBARU BRZ. Example battery model number: 80D23R (Compatible with batteries with "D" as the third digit.)

\* We recommend installation be carried out by your local SUBARU dealer.